


SPARE PARTS EXPLODED VIEW STORAGE ELECTRIC WATER HEATERS Model

TI-SHAPE EE

R8215449-02EN - Edition 02 - 11/09/2006

Reference	Ind.	Model type	Begin	End
877 102		TI-SHAPE 30 OR EE		
877 100 877 101		TI-SHAPE 15 OR EE TI-SHAPE 15 UR EE		
877 099		TI-SHAPE 10 UR EE		
877 098		TI-SHAPE 10 OR EE	•••	




					,	/	\(\s\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \		
Key I	N Description	Manf. Pt. N Othe	er Type	_	7	×/ 			nf. date
0004	(05400700		_	_			from	to
0001		65103766		•	•			07/06	00/00
	ELEMENT 1500W 220-240V	990966 990967		_	_	•	,		06/06
0003	ELEMENT 1500W 220-240V THERMOSTAT	65101079		•	•				06/06 06/06
0003				•	•			07/06	06/06
	THERMOSTAT	65103771 691499				•	,	07/06	06/06
0007	THERMOSTAT	570341		•	•	•			06/06
	HEATER WALL HANGING BRACKET PLASTIC COVER	65100872		•	•				06/06
0014		65103778		•	_	-		07/06	06/06
0040	PLASTIC COVER + NEON LENS	65103778		•	•	•		07/06	
	KNOB			•	•				
0022		571730		•	•				06/06
0023	ANODE (D:15 L:210)	570241				•	•		06/06
	ANODE D.13,8 L:150 M5	574305		•	•			07/00	06/06
	ANODE (D:21,3 L:110)	65103768				•	•	07/06	
	ANODE (D:21,3 L:80)	65103793		•	•			07/06	
	FLANGE BRACKET	570024		•	•	•			
	NUT M6	570069		•	•	•			
	FLANGE GASKET	65100282		•	•	•	•		
0038		65100874		•	•	•			
	CABLE CLAMP	573266		•	•	•	>		
	WIRING	65104037		•	•	•	•	07/06	
0068	SIGNAL LAMP CAP	573070		•	•	•	>		
0070	CAP (REGULATION)	570029		•	•	•	•		
		· · · · · · · · · · · · · · · · · · ·		_	-		- ·		

LIST OF THE ABBREVATIONS

HW : Hot water. CW : Cold water. : Ceramic resistance (normal heating). : Ceramic resistance (accelerated heating) TP : Immersion heater. 1F : With fittings. 2F : Without fittings. 3F With fittings and another outlet connection. AMI : With mixing valve. SMI : Without mixing valve. PUISS : Power of th appliance. PN : Appliance with normal pression. LP : Appliance with low pression. PV : Appliance with variable power. : Appliance with fixed power..

IDENTIFICATION PLATE

SERIAL NUMBER



The indications mentionned on the prices, commercial or technical literature and the scheme are written for your guidance and are available at a given time. The CONSTRUCTOR retains the power to modify the presentation, the form, the size, the conception or the material of the products.